

## Taccia


Designed by Achille and Pier Giacomo Castiglioni, 1962

28W - 2700K

Table lamp providing indirect and reflected light. Reflector in painted aluminium, gloss white on the outside and matt white on the inside. Directionable diffuser in transparent mouth-blown glass. Body in black, matt white, silver anodized or bronze anodized aluminium. Base in nickel-plated metal. Electric cable of useful length 220 cm, with dimmer switch for ON/OFF and adjustment of the light flow between 10-100%. Plug-in power supply with interchangeable plugs.

Are you a professional and your project needs consulting and support?

BOOK AN APPOINTMENT



### Main specifications

|                        |                     |
|------------------------|---------------------|
| EAN                    | 8059607006689       |
| Mounting               | Table               |
| Environments           | Indoor dry location |
| Light source type      | LED                 |
| Light sources included | Yes                 |
| LED type               | LED array           |
| Power (W)              | 28                  |

### Physical

|                     |       |
|---------------------|-------|
| Colour              | Black |
| Length (mm)         | 190   |
| Cord colour         | Black |
| Cord length (mm)    | 2200  |
| Net weight (kg)     | 11.14 |
| Package volume (m3) | 0.18  |
| IP internal         | 20    |


### Download

|                       |              |
|-----------------------|--------------|
| Mounting instructions | Download PDF |
| Mounting instructions | Download PDF |
| Mounting instructions | Download PDF |



### Ecodesign and Energy Labelling

This product contains a light source of energy efficiency class D




Photometric

|                    |            |
|--------------------|------------|
| Lighting type      | Indirect   |
| Light distribution | Asymmetric |
| CCT (K)            | 2700       |
| Extreme cut off    | No         |

Electrical

|                    |                        |
|--------------------|------------------------|
| Insulation class   | III                    |
| Frequency (Hz)     | 50/60                  |
| Main voltage (Vac) | 100-240                |
| Power supply       | Remote included        |
| Dimmable           | Yes                    |
| Power supply type  | Electronic 48V         |
| Dimming interface  | Dimmer Integrated      |
| Plug type          | Type A, Type C, Type G |
| Batteries inside   | No                     |

Spare Parts



- |     |                                                       |           |
|-----|-------------------------------------------------------|-----------|
| 01. | Taccia transparent diffuser & reflector               | F6510000  |
| 02. | Taccia Led Shiny white reflector                      | RF00780   |
| 03. | Taccia led Black base                                 | F6608030  |
| 04. | Taccia Led Black jack plug with cable and push dimmer | RF6608100 |
| 05. | Black plug assembly kit & 48V driver                  | RF6600130 |



F6510000  
Taccia transparent diffuser & reflector



RF00780  
Taccia Led Shiny white reflector



F6608030  
Taccia led Black base



RF6608100  
Taccia Led Black jack plug with cable and push dimmer



RF6600130  
Black plug assembly kit & 48V driver